



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,250	04/08/2004	Gerardo M. Castillo	PROTEO.P03CI2	8390

7590 07/05/2006  
PROTEOTECH, INC.  
12040 115TH AVE., NE  
KIRKKLAND, WA 98034

EXAMINER
----------

CHERNYSHEV, OLGA N

ART UNIT	PAPER NUMBER
----------	--------------

1649

DATE MAILED: 07/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

20060626

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 C.F.R. § 1.821 (a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 C.F.R. § 1.821 through 1.825. Specifically, no sequence identification has been provided for the amino acid sequences presented within the text of the instant specification (see pages 32-33, for example) and in Figures. In case these sequences are new, Applicant needs to provide a substitute computer readable form (CRF) copy of a "Sequence Listing" which includes all of the sequences that are present in the instant application and encompassed by these rules, a substitute paper copy of that "Sequence Listing", an amendment directing the entry of that paper copy into the specification, and a statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. § 1.821 (e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d). The instant specification will also need to be amended so that it complies with 37 C.F.R. § 1.821(d) which requires a reference to a particular sequence identifier (SEQ ID NO: ) be made in the specification and claims wherever a reference is made to that sequence. See M.P.E.P. 2422.04.


Applicant is advised to review the entire text of the instant specification for compliance with sequence rules.

APPLICANT IS GIVEN 30 days FROM THE DATE OF THIS LETTER WITHIN WHICH TO COMPLY WITH THE SEQUENCE RULES, 37 C.F.R. §§ 1.821-1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 C.F.R. § 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 C.F.R. § 1.136. In no case may an applicant extend the period for response beyond the six months statutory period. Direct the response to the undersigned.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Olga N. Chernyshev whose telephone number is (571) 272-0870. The examiner can normally be reached on 8:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Janet L. Andres can be reached on (571) 272-0867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
**OLGA N. CHERNYSHEV, Ph.D.**  
**PRIMARY EXAMINER**

Olga N. Chernyshev, Ph.D.  
Primary Examiner  
Art Unit: 1649